

Furniture and Furnishings >> Accommodation furniture >> Office furniture >> Stainless Steel Wire shelving rack / Pot rack

Specifications:

| Name | Type | Restrictions | Unit | Properties |
|---|------------|--|------|-------------------------|
| Group: GENERIC | | | | |
| 1. Rack Configuration | Enumerable | 3-shelf Pot rack, 4-shelf Pot rack, 5-shelf Pot rack | N/A | Mandatory,Filter,Golden |
| 2. Rack Design | Enumerable | Open wire design, Mat continuity support wires design, Waterfall mat wires for support with serpentine trusses design | N/A | Mandatory,Filter,Golden |
| 3. Type of Pot rack | Enumerable | Open from all sides | N/A | Mandatory |
| 4. Shape of Rack | Enumerable | Rectangular, Oval, Square, Round | N/A | Mandatory,Filter,Golden |
| 5. Frame type | Enumerable | Perfectly in upright and straight position, Facility for wall hanging | N/A | Mandatory,Filter,Golden |
| 6. Shape of support structure | Enumerable | Angle post, Rectangular hollow type, Square hollow type, Round hollow type, Round solid type | N/A | Mandatory,Filter,Golden |
| 7. Shelves fitted | Enumerable | At the right angles to the sides and to be parallel to each other | N/A | Mandatory |
| 8. Ground clearance ± 5 mm | Enumerable | 25 mm, 35 mm, 50 mm, 65 mm, 75 mm, 85 mm, 90 mm, 100 mm | N/A | Mandatory,Filter,Golden |
| 9. Mode of supply | Enumerable | Assembled - Ready to use | N/A | Mandatory,Filter,Golden |
| 10. Transportation / Freight charges | Enumerable | Offer Prices are on Free Delivery at Consignee site basis. | N/A | Mandatory |
| Group: MATERIAL AND MATERIAL THICKNESS | | | | |
| 1. Wire shelf material | Enumerable | Stainless Steel Grade 202 galvanized, Stainless Steel Grade 304 galvanized, Stainless Steel Grade 316 galvanized | N/A | Mandatory,Filter,Golden |
| 2. Wire shelf material thickness | Enumerable | 0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.8 mm, 2.0 mm | N/A | Mandatory,Filter,Golden |
| 3. Support structure material | Enumerable | Stainless Steel Grade 202 galvanized, Stainless Steel Grade 304 galvanized, Stainless Steel Grade 316 galvanized, No support structure | N/A | Mandatory,Filter,Golden |
| 4. Support structure material thickness | Enumerable | 0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.8 mm, 2.0 mm, N.A | N/A | Mandatory,Filter,Golden |

| Name | Type | Restrictions | Unit | Properties |
|--|------------|--|------|-------------------------|
| 5. Material of Wire rungs / Metal truss | Enumerable | Stainless Steel Grade 202 galvanized, Stainless Steel Grade 304 galvanized, Stainless Steel Grade 316 galvanized | N/A | Mandatory,Filter,Golden |
| 6. Thickness of wire rungs | Enumerable | 0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.8 mm, 2.0 mm | N/A | Mandatory,Filter,Golden |
| 7. Thickness of Metal truss | Enumerable | 0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.8 mm, 2.0 mm | N/A | Mandatory,Filter,Golden |
| 8. Material of Upper frames / Lower frames | Enumerable | Stainless Steel Grade 202 galvanized, Stainless Steel Grade 304 galvanized, Stainless Steel Grade 316 galvanized | N/A | Mandatory,Filter,Golden |
| 9. Thickness of Upper frames / Lower frame | Enumerable | 0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.8 mm, 2.0 mm | N/A | Mandatory,Filter,Golden |
| 10. Material of Angle truss support | Enumerable | Stainless Steel Grade 202 galvanized, Stainless Steel Grade 304 galvanized, Stainless Steel Grade 316 galvanized | N/A | Mandatory,Filter,Golden |
| 11. Thickness of Angle truss support | Enumerable | 0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.8 mm, 2.0 mm | N/A | Mandatory,Filter,Golden |
| Group: DIMENSION | | | | |
| 1. Width of Pot rack ± 10 mm | Enumerable | 610 mm, 760 mm, 815 mm, 915 mm, 990 mm, 1065 mm, 1145 mm | N/A | Mandatory,Filter,Golden |
| 2. Depth of Pot rack ± 10 mm | Enumerable | 455 mm, 535 mm, 610 mm, 685 mm, 760 mm | N/A | Mandatory,Filter,Golden |
| 3. Height of Pot rack ± 10 mm | Enumerable | 1220 mm, 1370 mm, 1525 mm, 1675 mm, 1830 mm | N/A | Mandatory,Filter,Golden |
| 4. Size of support structure ± 2 mm | Enumerable | 20mm x 20mm, 25mm x 25mm, 30mm x 30mm, 20mm x 25mm, 20mm x 30mm, 25mm x 30mm, 10mm dia, 12mm dia, 15mm dia, 18mm dia, 20mm dia | N/A | Mandatory,Filter,Golden |
| 5. Distance between wire rungs | Enumerable | 12 mm, 15 mm, 18 mm, 20 mm, 22 mm, 25 mm, 27 mm, 30 mm | N/A | Mandatory,Filter,Golden |
| Group: FINISHING & PACKING | | | | |
| 1. Ends of wire rungs | Enumerable | To be smooth after cutting | N/A | Mandatory |
| 2. Dressing of Pot rack | Enumerable | Surface free from burrs / distortion | N/A | Mandatory |
| 3. Packing | Enumerable | Five ply corrugated board and strapped with 12mm HDPE strap, Bubble sheet packing | N/A | Mandatory,Filter |
| Group: WARRANTY | | | | |
| 1. Warranty period | Enumerable | 1 - Year, 2 - Year, 3 - Year | N/A | Mandatory,Filter,Golden |

| Name | Type | Restrictions | Unit | Properties |
|---|------------|--------------|------|-------------------------|
| Group: CERTIFICATION | | | | |
| 1. Test report to be furnished to buyer on demand | Enumerable | Yes, No | N/A | Mandatory,Filter,Golden |
| 2. OEM of offered product is ISO 9001:2015 certified | Enumerable | Yes, No | N/A | Mandatory,Filter,Golden |
| 3. OEM of offered product is ISO 14001:2015 certified | Enumerable | Yes, No | N/A | Mandatory,Filter,Golden |
| 4. OEM of offered product is ISO 18001:2007 certified | Enumerable | Yes, No | N/A | Mandatory,Filter,Golden |